

HEATPIPE [Referred by Case Sequence Number](#)

CASE	WITH HEATPIPE	FOR MAINBOARD	
GA-L-01	HP1 & HP6	VIA SP & M & PD SERIES M/B	
	HP2 & HP12 & HP49	PWI-8552 M/B	
	HP3	Commell LV-675 M/B	
	HP7	VIA EN & CN M/B	
	HP10	EPOX IP-4MTS6B M/B	
	HP16	VIA EPIA PN M/B (VIA VB6002 Board With Intel CPU)	
	HP29	VIA EPIA-EX & LT MB	
	HP45	VIA LN MB	
	HP50	Intel D201GLY M/B	
	HP61	Intel D945GCLF	
	GD-L01	HP1 & HP6	VIA SP & M & PD SERIES M/B
HP3		Commell LV-675 M/B	
HP7		VIA EN & CN M/B	
HP10		EPOX IP-4MTS6B M/B	
HP16		VIA EPIA PN M/B (VIA VB6002 Board With Intel CPU)	
HP29		VIA EPIA-EX & LT MB	
HP45		VIA LN MB	
HP50		Intel D201GLY M/B	
HP61		Intel D945GCLF	
GN-L01		HP8	VIA Nano NL M/B
GS-L01		HP1 & HP6	VIA SP & M & PD SERIES M/B
	HP3	Commell LV-675 M/B	
	HP7	VIA EN & CN M/B	
	HP16	VIA EPIA PN M/B (VIA VB6002 Board With Intel CPU)	
	HP29	VIA EPIA-EX & LT MB	
	HP45	VIA LN MB	
	HP61	Intel D945GCLF	

CASE**WITH HEATPIPE****FOR MAINBOARD**

GS-L02	HP1 & HP6	VIA SP & M & PD SERIES M/B
	HP3	Commell LV-675 M/B
	HP7	VIA EN & CN M/B
	HP16	VIA EPIA PN M/B (VIA VB6002 Board With Intel CPU)
	HP29	VIA EPIA-EX & LT MB
	HP45	VIA LN MB
	HP50	Intel D201GLY M/B
GS-L05	HP52	Jetway J7F5 M/B
	HP61	Intel D945GCLF M/B
	HP67	MSI CX700(MS-9802)
	HP5	PWI-8552 M/B
	HP9	Commell LV-675 & LV-677 M/B VIA EPIA PN M/B (VIA VB6002 Board With Intel CPU)Ibase MB879 & MB890 & MB896F
	HP18	VIA EK M/B
	HP19	JETWAY J7F2
	HP20	VIA SP & M SERIES M/B
	HP21	VIA CN M/B
	HP22	VIA EN M/B
	HP27	VIA EPIA EX MB
	HP32	Ibase MB899 M/B
	HP33	Commell LV-675 & LV-677 M/BVIA EPIA PN M/B (VIA VB6002 Board With Intel CPU)Ibase MB879 & MB890 & MB896F
	HP36	Those M/Bs with hole-to-hole distance for heat device is 41x41mm
	HP37	VIA CN & EN M/B
	HP38	VIA EX & LT M/B
	HP46	Intel D201GLY M/B
	HP51	Jetway J7F5 M/B
	HP54	VIA EPIA LN M/B
HP60	Jetway J9F2 M/B	
HP62	Intel D945GCLF M/B	
HP65	Fujitsu Siemens M/B	
HP69	SBS M/B	

CASE**WITH HEATPIPE****FOR MAINBOARD**

GS-L06	HP14	Commell LV-675 & LV-677 M/B IBase MB896F & MB899 & MB879 & MB890 M/B VIA EPIA PN M/B (VIA VB6002 Board With Intel CPU)
	HP15	PWI-8552 M/B
	HP24	Jetway J7F2 M/B
	HP25	VIA EPIA SP & M SERIES M/B
	HP28	VIA EPIA EX M/B
	HP39	Those M/Bs with hole-to-hole distance for heat device is 41x41mm
	HP40	VIA CN & EN M/B
	HP41	VIA EX & LT M/B
	HP47	Intel D201GLY M/B
	HP55	VIA EPIA LN M/B
HP63	Intel D945GCLF M/B	
GS-L08	HP30	VIA EPIA PX M/B
GS-L09	HP35	VIA Nano-NX MB
GW-01	HP14	Commell LV-675 & LV-677 M/B IBase MB896F & MB899 & MB879 & MB890 M/B VIA EPIA PN M/B (VIA VB6002 Board With Intel CPU)
	HP15	PWI-8552 M/B
	HP24	Jetway J7F2 M/B
	HP25	VIA EPIA SP & M SERIES M/B
	HP28	VIA EPIA EX M/B
	HP39	Those M/Bs with hole-to-hole distance for heat device is 41x41mm
	HP40	VIA CN & EN M/B
	HP41	VIA EX & LT M/B
	HP47	Intel D201GLY M/B
	HP55	VIA EPIA LN M/B
HP63	Intel D945GCLF M/B	
HP68	SBS M/B	